

BÁSCULA DE BAÑO

Bathroom Scale

TMPBS013



Specifications.

- Equipped with a High Precision "Strain-Gauge" sensor.
- Tempered safety plate glass platform 6 mm.
- Capacity: 150kg/330lb/24st.
- División: 100g/0.2lb.
- 40mm LCD display.
- Auto-on.
- Automatic Zero resetting an automatic switch off.
- Over load indicator.
- Low battery indicator.

Power supply

- Battery included (1xCR2032). Please remove the insulation sheet from the battery contact before use.
- Replace the batteries when the scale shows. (LO)

tm
electrón

**CERTIFICADO POR TRES
AÑOS DE GARANTIA**

Artículo _____

Marca **TM ELECTRON** Modelo _____

Nombre del Comprador _____

Domicilio _____

Población _____ Provincia _____

Teléfono _____

Fecha _____

Establecimiento _____ Sello y firma del establecimiento _____

CONDICIONES GENERALES DE GARANTIA

Es necesaria la presentación de este Certificado de Garantía, debidamente sellado por el establecimiento vendedor, para obtener cualquier intervención de nuestro Servicio Post-Venta sin cargo.

Esta garantía tendrá validez únicamente cuando consten todos los datos del modelo, fecha de venta y nombre o sello del establecimiento vendedor.

No están cubiertos por esta Garantía los daños o averías producidos por causas catastróficas, caídas y golpes o uso incorrecto por parte del usuario, así como la alimentación errónea por fuentes de energía o piezas sometidas a un desgaste natural, consecuencia de un uso indebido o inapropiado.

Este producto perderá su Garantía en caso de ser manipulado por técnicos o talleres ajenos a nuestra empresa.

Si la reparación no fuera satisfactoria, se sustituirá el artículo o se devolverá el valor.

Esta garantía tiene validez únicamente en España, Portugal y Andorra.

tm
electrón

CERTIFICADO DE GARANTIA

Este producto será reparado gratuitamente durante el periodo de **TRES AÑOS** de cualquier defecto o vicio de fabricación, así como de los daños por ello ocasionados.

En caso de avería envíe esta garantía debidamente cumplimentada al Servicio Técnico Central:

Ferrestock S.L. CIF: B-28669547.
Avda. de los Cantillos, 4. Parc. C5.
Sec. XXV. Velilla de San Antonio, 28891.
Madrid (Spain).

Nosotros nos pondremos en contacto con su servicio de venta.



This symbol on the product on its packaging indicates that the product may not be treated as household waste. To recycle your product, please take it to an official collection point or to a service center that can remove and recycle the battery and electric parts in a safe and professional way. Follow your country's rules for the separate collection of electrical products and rechargeable batteries.

tm
electrón

www.tmelectron.com

Telf: (+34) 91 871 92 76

Fax: (+34) 91 871 93 54

info@tmelectron.com

Advice for use and care

- Placing your scale on the hard, flat surface will ensure the greatest accuracy and repeatability.
- Always weigh yourself on the same scale placed on the same floor surface. Uneven Floors may affect reading.
- Weight yourself without clothing and footwear, before meals and always at the same time of day. First thing in the morning is a good time.
- Your scale rounds up or down to the nearest 100g or 50g if you weigh yourself twice and get two different readings, your weight lies between the two.
- Clean your scale with a damp cloth but do not allow water to get inside the scale. Do not use chemical cleaning agents.
- Do not allow your scale to become saturated with water as this can damage the electronics.
- Do not store the scale in a upright position when not in use as this will drain the batteries.
- Remove the batteries if the scale is not being used for a long time.
- Treat your scale with care it is a precision instrument. Do not drop it or jump on it.

Your new electronic personal scale has been designed to accurately indicate your weight gain or loss over a period of time and should give many years of service under normal use.

Opèration

- **Step 1:** Put the scale on a hard&flat surface (avoid carpet or soft surface).
- **Step 2:** Gently step on the scale. Put your feet evenly on the scale without moving and wait while the scale computes you weight. Your correct weight will then be displayed in the following.

Automatic switch off

- When you step off the scale, it will automatically switch off (If no weighting is carried out while the zero is being displayed, the scale switches off automatically after approximate 10 second).

Overload indicator

- When the scale is over loaded (over 150kg/330lb/24st) the following will appear on the screen: "Err".


Battery replacing indicator

- When the battery need replacing, the following will appear on the screen: "LO" (low battery). Please open the battery cover, the take batteries carefully out of the battery compartment by drwing them sideways out from under the contacts. Do not bend the contacts back while you do this, or they might break.

BÁSCULA DE BAÑO

Bathroom Scale

TMPBS014



División
0,1kg

23mm

Specifications.

- Equipped with a High Precision "Strain-Gauge" sensor.
- Tempered safety plate glass platform 6 mm.
- Capacity: 150kg/330lb/24st.
- División: 100g/0.2lb.
- 40mm LCD display.
- Auto-on.
- Automatic Zero resetting an automatic switch off.
- Over load indicator.
- Low battery indicator.

Power supply

- Battery included (1xCR2032). Please remove the insulation sheet from the battery contact before use.
- Replace the batteries when the scale shows. (LO)

tm
electrón

**CERTIFICADO POR TRES
AÑOS DE GARANTIA**

Artículo _____
 Marca **TM ELECTRON** Modelo _____
 Nombre del Comprador _____
 Domicilio _____
 Población _____ Provincia _____
 Teléfono _____
 Fecha _____
 Establecimiento _____ Sello y firma del establecimiento

CONDICIONES GENERALES DE GARANTIA

Es necesaria la presentación de este Certificado de Garantía, debidamente sellado por el establecimiento vendedor, para obtener cualquier intervención de nuestro Servicio Post-Venta sin cargo.

Esta garantía tendrá validez únicamente cuando consten todos los datos del modelo, fecha de venta y nombre o sello del establecimiento vendedor.

No están cubiertos por esta Garantía los daños o averías producidos por causas catastróficas, caídas y golpes o uso incorrecto por parte del usuario, así como la alimentación errónea por fuentes de energía o piezas sometidas a un desgaste natural, consecuencia de un uso indebido o inapropiado.

Este producto perderá su Garantía en caso de ser manipulado por técnicos o talleres ajenos a nuestra empresa.

Si la reparación no fuera satisfactoria, se sustituirá el artículo o se devolverá el valor.

Esta garantía tiene validez únicamente en España, Portugal y Andorra.

tm
electrón

CERTIFICADO DE GARANTIA

Este producto será reparado gratuitamente durante el periodo de **TRES AÑOS** de cualquier defecto o vicio de fabricación, así como de los daños por ello ocasionados.

En caso de avería envíe esta garantía debidamente cumplimentada al Servicio Técnico Central:

Ferrestock S.L. CIF: B-28669547.
 Avda. de los Cantillos, 4. Parc. C5.
 Sec. XXV. Velilla de San Antonio, 28891.
 Madrid (Spain).

Nosotros nos pondremos en contacto con su servicio de venta.



This symbol on the product on its packaging indicates that the product may not be treated as household waste. To recycle your product, please take it to an official collection point or to a service center that can remove and recycle the battery and electric parts in a safe and professional way. Follow your country's rules for the separate collection of electrical products and rechargeable batteries.

tm
electrón

www.tmelectron.com

Telf: (+34) 91 871 92 76

Fax: (+34) 91 871 93 54

info@tmelectron.com

Advice for use and care

- Placing your scale on the hard, flat surface will ensure the greatest accuracy and repeatability.
- Always weigh yourself on the same scale placed on the same floor surface. Uneven Floors may affect reading.
- Weight yourself without clothing and footwear, before meals and always at the same time of day. First thing in the morning is a good time.
- Your scale rounds up or down to the nearest 100g or 50g if you weigh yourself twice and get two different readings, your weight lies between the two.
- Clean your scale with a damp cloth but do not allow water to get inside the scale. Do not use chemical cleaning agents.
- Do not allow your scale to become saturated with water as this can damage the electronics.
- Do not store the scale in a upright position when not in use as this will drain the batteries.
- Remove the batteries if the scale is not being used for a long time.
- Treat your scale with care it is a precision instrument. Do not drop it or jump on it.

Your new electronic personal scale has been designed to accurately indicate your weight gain or loss over a period of time and should give many years of service under normal use.

Opèration

- **Step 1:** Put the scale on a hard&flat surface (avoid carpet or soft surface).
- **Step 2:** Gently step on the scale. Put your feet evenly on the scale without moving and wait while the scale computes you weight. Your correct weight will then be displayed in the following.

Automatic switch off

- When you step off the scale, it will automatically switch off (If no weighting is carried out while the zero is being displayed, the scale switches off automatically after approximate 10 second).

Overload indicator

- When the scale is over loaded (over 150kg/330lb/24st) the following will appear on the screen: "Err".

Battery replacing indicator

- When the battery need replacing, the following will appear on the screen: "LO" (low battery). Please open the battery cover, the take batteries carefully out of the battery compartment by drwing them sideways out from under the contacts. Do not bend the contacts back while you do this, or they might break.

BÁSCULA DE BAÑO

Bathroom Scale

TMPBS015



División
0,1 kg

23mm

Specifications.

- Equipped with a High Precision "Strain-Gauge" sensor.
- Tempered safety plate glass platform 6 mm.
- Capacity: 150kg/330lb/24st.
- División: 100g/0.2lb.
- 40mm LCD display.
- Auto-on.
- Automatic Zero resetting an automatic switch off.
- Over load indicator.
- Low battery indicator.

Power supply

- Battery included (1xCR2032). Please remove the insulation sheet from the battery contact before use.
- Replace the batteries when the scale shows. (LO)

tm
electrón

**CERTIFICADO POR TRES
AÑOS DE GARANTIA**

Artículo _____

Marca **TM ELECTRON** Modelo _____

Nombre del Comprador _____

Domicilio _____

Población _____ Provincia _____

Teléfono _____

Fecha _____

Establecimiento _____ Sello y firma del establecimiento _____

CONDICIONES GENERALES DE GARANTIA

Es necesaria la presentación de este Certificado de Garantía, debidamente sellado por el establecimiento vendedor, para obtener cualquier intervención de nuestro Servicio Post-Venta sin cargo.

Esta garantía tendrá validez únicamente cuando consten todos los datos del modelo, fecha de venta y nombre o sello del establecimiento vendedor.

No están cubiertos por esta Garantía los daños o averías producidos por causas catastróficas, caídas y golpes o uso incorrecto por parte del usuario, así como la alimentación errónea por fuentes de energía o piezas sometidas a un desgaste natural, consecuencia de un uso indebido o inapropiado.

Este producto perderá su Garantía en caso de ser manipulado por técnicos o talleres ajenos a nuestra empresa.

Si la reparación no fuera satisfactoria, se sustituirá el artículo o se devolverá el valor.

Esta garantía tiene validez únicamente en España, Portugal y Andorra.

tm
electrón

CERTIFICADO DE GARANTIA

Este producto será reparado gratuitamente durante el periodo de **TRES AÑOS** de cualquier defecto o vicio de fabricación, así como de los daños por ello ocasionados.

En caso de avería envíe esta garantía debidamente cumplimentada al Servicio Técnico Central:

Ferrestock S.L. CIF: B-28669547.
Avda. de los Cantillos, 4. Parc. C5.
Sec. XXV. Velilla de San Antonio, 28891.
Madrid (Spain).

Nosotros nos pondremos en contacto con su servicio de venta.



This symbol on the product on its packaging indicates that the product may not be treated as household waste. To recycle your product, please take it to an official collection point or to a service center that can remove and recycle the battery and electric parts in a safe and professional way. Follow your country's rules for the separate collection of electrical products and rechargeable batteries.

tm
electrón

www.tmelectron.com

Telf: (+34) 91 871 92 76

Fax: (+34) 91 871 93 54

info@tmelectron.com

Advice for use and care

- Placing your scale on the hard, flat surface will ensure the greatest accuracy and repeatability.
- Always weigh yourself on the same scale placed on the same floor surface. Uneven Floors may affect reading.
- Weight yourself without clothing and footwear, before meals and always at the same time of day. First thing in the morning is a good time.
- Your scale rounds up or down to the nearest 100g or 50g if you weigh yourself twice and get two different readings, your weight lies between the two.
- Clean your scale with a damp cloth but do not allow water to get inside the scale. Do not use chemical cleaning agents.
- Do not allow your scale to become saturated with water as this can damage the electronics.
- Do not store the scale in a upright position when not in use as this will drain the batteries.
- Remove the batteries if the scale is not being used for a long time.
- Treat your scale with care it is a precision instrument. Do not drop it or jump on it.

Your new electronic personal scale has been designed to accurately indicate your weight gain or loss over a period of time and should give many years of service under normal use.

Opèration

- **Step 1:** Put the scale on a hard&flat surface (avoid carpet or soft surface).
- **Step 2:** Gently step on the scale. Put your feet evenly on the scale without moving and wait while the scale computes you weight. Your correct weight will then be displayed in the following.

Automatic switch off

- When you step off the scale, it will automatically switch off (If no weighting is carried out while the zero is being displayed, the scale switches off automatically after approximate 10 second).

Overload indicator

- When the scale is over loaded (over 150kg/330lb/24st) the following will appear on the screen: "Err".

Battery replacing indicator

- When the battery need replacing, the following will appear on the screen: "LO" (low battery). Please open the battery cover, the take batteries carefully out of the battery compartment by drwing them sideways out from under the contacts. Do not bend the contacts back while you do this, or they might break.